

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 12:25 pm

PWS ID: UTAH18158 **Name:** BARBARY COAST SALOON

Legal Contact: BARBARY COAST SALOON **Rating:** Approved
J RANDALL FINNAS **Rating Date:** 08/18/2005

Address: 4242 S STATE **Activity Status:** Active
MURRAY, UT 84107

Phone Number: 801-232-2949

City Served (Area):

County: SALT LAKE COUNTY

System Type: Non-community **Last Inv Update:** 05/11/2010 **Avg Daily Prod:**

Activity Status Cd: Active **Last Snty Srv Dt:** 10/07/2008 **Total Dsgn Cap:**

Population: 75 **Surveyor:** DAN MOORE **Total Emerg Cap:**

Oper Period: 1/1 to 12/31

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Quarterly	01/01/1991		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

Analyte Name		Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
WS001	SALOON WELL 1		Activity Status: A		Sample Label: UTAH18158 WS001 WS001	
	NITRATE	1	Routine	Year	02/02/2009	01/01/2010-12/31/2010
	SULFATE	1	Routine	3Y	02/02/2009	01/01/2011-12/31/2013